## PROBLEM:

ANS =

For each short question, pick a correct frequency and enter its letter in the answer box. Note: Some questions might have more than one answer.

(a) If the output from an ideal C/D converter is 
$$x[n] = 33\cos(0.5\pi n)$$
, and the sampling rate is 2000 samples/sec, then

determine one possible value of the input frequency of 
$$x(t)$$
:

$$\begin{array}{c|c}
x(t) & \text{Ideal} \\
\text{C-to-D} \\
\text{Converter}
\end{array}$$
ANS =

ANS = 
$$T_s = 1/f_s$$

(b) If the output from an ideal C/D converter is  $x[n]$ 

 $33\cos(0.5\pi n)$ , and the input signal x(t) defined by:

 $x(t) = 33\cos(3000\pi t)$  then determine one possible value

Ideal

C-to-D Converter x[n]

of the sampling frequency of the C-to-D converter:

x(t)

ANS = 
$$T_s = 1/f_s$$

(c) Determine the Nyquist rate for sampling the signal 
$$x(t)$$
 defined by:  $x(t) = \Re e\{e^{j \cdot 1200\pi t} + e^{j2000\pi t}\}.$ 

(c) 2000 Hz

Frequency

(a) 8000 Hz

(b) 4000 Hz

(d) 1600 Hz (e) 1200 Hz

(f) 1000 Hz

(g) 800 Hz

(h) 500 Hz

(i) 400 Hz