

Index

- A-to-D converter, *see* Analog-to-digital (A-to-D) converter
- Accumulator system, 418
- Adder, 170
- Adding a constant to a signal, 61–62
- Advanced signal, 148n1
- Alias, 107–108
 - folded, 108
 - principal, 108–110, 115, 118–119
- Aliasing, 109, 111–112, 114, 121, 128–129, 132, 134, 224–227, 312
 - (folding) distortion, 313
 - due to under-sampling, 115–116
 - folding due to under-sampling, 116–118
 - time, 299, 302
- AM broadcast system, 61
- AM radio, 54, 58, 61, 96
- Amplitude, 9, 12, 14, 23, 195
 - complex, 25, 28–29
 - function, 215–216
 - and phase plots, 217
- Amplitude modulation, 58–61
 - beat note, 55–58
 - spectrum, 59–60
- Analog signals, 102–103, 109, 117, 139, 145, 225
- Analog-to-digital (A-to-D) converter, 7, 11, 104, 151, 281
- Angle function, 26, 86–89
- Angle of complex number, 22
- Angle function of cosine, 86
- Argument of complex number, 22
- Associative property of convolution, 182–183
- Audio system, 7–8
- Autocorrelation function, 258
- Average value, 78, 149

- Bandedges, 270–271
- Bandlimited interpolation, 127
- Bandlimited signal, 79, 102, 128, 247–250, 262, 311–312, 517
 - continuous-time, 311–314
 - ideal, 247–248
 - reconstruction, 102
- Bandpass filter, 263–264, 379–381
- Band-reject filter, 264
- Bandwidth, 60–61, 79
 - 3-dB, 448–450
 - of pulse wave, 513, 516–517
 - of spectrum, 60–61
- Beat note, 55–58
- Beating of tones in music, 57
- Block-diagram notation, 170
- Block diagrams, 7
 - of FIR systems, 170–174, 354–355
 - of IIR systems, 408–412

- C-major scale, 83
 - spectrogram, 84
- Carrier
 - frequency, 58, 61
 - signal, 58
- Cartesian form, 22–23, 29, 471 (*See also* Rectangular form)
- Cascade connection, 182, 212, 361, 363
- Cascaded LTI systems, 182–184, 212–214, 361–362

- Causal filter, 151–152
- Causality, 151
- Centralized averager, 187
- Center frequency, 55
- Chirp signals, 85–89
- Colon operator, 493–494
- Commutative property of convolution, 166–167
- Complex amplitude, 25, 28–29
- Complex exponential, 22–24, 475,
 - orthogonality, 285, 509–510
 - signals, 23–25
- Complex numbers, 22–23, 469–490
 - addition, 29, 476–477
 - conjugate, 477
 - definition, 470–474
 - division, 476–477
 - multiplication, 476–477
 - notation, 471–474
 - represented as vector, 469
- Complex powers, 484–485
- Complex roots, 363, 439, 484–485
- Conjugate of complex number, 27–28, 477
- Conjugate symmetry property, 52, 65–66, 206
- Continuous-time signals, 3, 5–6, 8–9, 148, 302, 307
 - bandlimited, 311–312
 - filtering sampled, 224–229
 - Fourier series for, 309
 - sample of, 103–104, 109
 - sinusoidal signals, 105
 - spectrum representation of, 110–111, 116, 128
- Continuous-time systems, 147, 225
- Continuous-to-discrete (C-to-D) converter, 6–7, 104, 128 (*See also* Sampling)
- Convolution, 164
 - associative property, 182
 - commutative property, 166–167, 180–181
 - computing the output of, 162
 - derivation of, 179–180
 - distributive property, 182
 - identity element, 181
 - of impulses, 181
 - length of, 163
 - and LTI systems, 178–182
 - in MATLAB, 164
 - MATLAB GUI for, 167
 - sum formula, 179–180
 - and the z -transform, 358–360
- Cooley, 289n5
- Cosine modulation property, 336
- Cosine signals (waves), 9–10
- Cubic spline interpolation, 124–125
- Cutoff frequency of ideal filter, 260
- Cyclic frequency, 15

- DC, 17
 - coefficient, 518–519
 - component, 51, 62–63, 76, 78, 211, 515, 522, 524
 - of Fourier series, 78–79
 - power converters, 75–76
 - term, 58, 100
 - value, 62, 76, 78–80, 221, 517

- Deconvolution, 364
- Definition of z -transform, 348–350
- Delay-compensated running-average filter, 186
- Delayed signal, 171, 358
- Delay system, 206–207
- Delta function, 158
- DeMoivre's formula, 485
- Derivative, 13, 36
 - of angle function, 86–87
 - of Fourier series, 508–511
 - of FWRS, 80
 - of HWRS, 521
 - of sine plus DC, 64–65
 - of triangular wave, 528–529
- DFT, *see* Discrete Fourier transform
- Difference equation, 150
- Difference frequency, 55, 57–58
- Digital-to-analog (D-to-A) converter, 7, 112, 115, 121, 123, 126
- Direct current, 17n3, 51n3
- Direct form FIR structure, 171
- Direct form I structure, 408–409
- Direct form II structure, 409–411
- Dirichlet form, 215n5, 215, 216
- Discrete convolution evaluation of, 358
- Discrete Fourier Series (DFS), 308–310
- Discrete Fourier transform, 281–338
 - of complex exponential, 287–288
 - computation of, 288–289
 - conjugate symmetry of, 292–294
 - convolution property, 304–306
 - definition of, 283
 - frequency response plotting, 295–296
 - inherent periodicity of, 298–302
 - inverse, 284–285
 - L -point, 294
 - matrix form of, 289–290
 - negative frequencies of, 291–292
 - N -point, 294–295
 - pairs, 286
 - periodicity of, 298–301
 - properties, 290–294, 301–304
 - of real cosine signal, 296–297
 - of shifted impulse, 286
 - table of pairs, 307
 - table of properties, 308
 - time-dependent, 325–328
 - zero padding, 303
 - z -transform and, 367–369
- Discrete-time cosine signal, 105, 109
- Discrete-time filtering, 28
- Discrete-time Fourier transform (DTFT), 239–280
 - bandlimited, 247–250
 - of a complex exponential, 253
 - convolution and, 255–257
 - definition of, 241
 - existence of, 245
 - forward, 241
 - frequency shift and, 253
 - inverse, 246–247, 250
 - L -point rectangular pulse, 243, 254
 - linearity of, 242, 252
 - periodicity of, 241
 - properties of, 251–259, 274
 - of a pulse, 243
 - of a right-sided exponential sequence, 244
 - of a shifted impulse sequence, 241–242
 - of a sinc function, 248–250
 - spectrum interpretation, 250–251
 - table of pairs, 273
 - table of properties, 273
 - time delay and, 252
 - uniqueness of, 243
 - of windows, 319–320
- Discrete-time frequency (ω), 105
- Discrete-time signal, 103
- Discrete-time systems, 148–149
- Discrete-to-continuous (D-to-C) converter, 7, 111–112, 115–116, 118, 120–129, 134, 224, 226–229
- Discrete-to-continuous conversion, 121–127
 - interpolation with pulses, 121–127
 - oversampling in, 125–127
- Domains, *see* Three domains
- Doppler radar, 538–543
- Dow-Jones industrial average, 184
- DSP First toolbox, 84n15
- DTFT, *see* Discrete-time Fourier transform (DTFT)
- Dual-tone multi-frequency (DTMF) signals, 90
- Dummy index of summation, 258, 285, 365
- Dummy variable of integration, 75, 246

- Echo, 539
- Effective frequency response, 224–225
- Elliptic filter, 454–456
- Energy spectrum, 257
 - autocorrelation function and, 257–259
- Envelope, 56–57, 287
- Envelope detector, 59
- Euler's formula, 23, 475–476
 - inverse, 27–28, 476
- Factoring z -polynomials, 363
- Fast Fourier Transform (FFT), 289, 323, 326, 328, 334–338
 - derivation of, 334–337
 - operation count of, 337
- Feed-forward coefficients, 395–396
- Feed-forward difference equation, 147, 171
- Feedback coefficients, 395
- Feedback systems, 394
- FFT, *see* Fast Fourier Transform
- Filter design, 265
 - cutoff frequency, 269
 - practical filters, 266
 - passband defined 268–269
 - passband ripple, 268
 - passband edge, 268
 - stopband defined 269–270
 - stopband ripple, 270
 - stopband edge, 269
 - transition width, 270
 - windowed sinc, 266–267
- Filter length, 155
- Filters (*See also* Filtering)
 - bandpass, 379–381
 - complex bandpass, 379
 - linear-phase, 384–386
 - practical bandpass, 381–384
- Filtering, 8, 337
 - convolution property of, 257

- discrete-time, 28
- filter design and, 264–273
- FIR, 156–158, 168, 184–187, 264–265
- ideal bandpass, 263
- ideal highpass, 262–263
- ideal lowpass, 261–262
- IIR, 395
- interpretation of delay, 226–229
- inverse, 364
- running-sum, 214–223
- of sampled continuous-time signals, 224–229
- unit-step response, 165–166
- Finite Fourier sum, 80, 283
- Finite impulse response (FIR) system, 147, 394
- Finite-length signal, 149
- Finite number of sinusoids, 54
- FIR filter, 154–156, 168, 184–187, 264–265
 - block diagrams for, 170–174
 - and convolution, 161
 - frequency response of, 195–196
 - implementation of, 169–170
- FIR filtering, *see* FIR filter
 - examples of, 156–159, 184–187
- First-difference system, 207–209
- FM signals, 86 (*See also* Frequency modulation)
- Folded aliases, 108
- Folding frequency, 119
- Fourier, Jean-Baptiste, 39
- Fourier analysis, 75
 - full-wave rectified sine (FWRS), 75–80
 - half-wave rectified sine (HWRS), 521–524
 - pulse wave, 514–518
 - triangular wave, 518–521
- Fourier analysis integral, 75, 507
- Fourier series, 74–80, 507–543
 - approximation error, 80
 - coefficients, 75
 - convergence of, 531–538
 - DC value of, 78–79
 - derivation, 508–511
 - full-wave rectified sine, 75–80
 - Gibb's phenomenon, 535–536
 - half-wave rectified sine (HWRS), 521–524
 - operations on, 524–531
 - orthogonality, 285, 534
 - Parseval's theorem for, 533
 - pulse wave, 514–518
 - spectrum, 78–80
 - square wave, 515
 - synthesis equation, 250, 513
 - triangular wave, 518–521
- Fourier series integral, 83, 307, 508–511
- Fourier synthesis, 74–75, 79, 508
 - finite, 513
- Fourier synthesis summation, 508
- Fourier transform
 - discrete, *see* Discrete Fourier transform
 - discrete time, *see* Discrete-time Fourier transform (DTFT)
 - fast, *see* Fast Fourier Transform
 - short-time discrete, 326
- Fourier transform pairs, 272–273, 307
- Fourier transforms and LTI systems, 346
- Frequency
 - cyclic, 15
 - instantaneous, 85–89
 - radian, 15
- Frequency division multiplexing, 61
- Frequency modulation (FM)
 - angle function, 86
 - chirp signal, 85–89
 - instantaneous frequency, 86
 - spectrogram of, 89
- Frequency resolution, 330–333
- Frequency response
 - of cascaded LTI systems, 212–214
 - effective, 224
 - graphical representation of, 206–223
 - formula for, 197
 - of an LTI FIR filter, 196
 - plotting the, 215–218
 - properties of, 203–206
 - of second-order IIR filter, 446–450
 - sinusoidal, of FIR systems, 195–197
 - steady-state and transient responses, 201–203
 - superposition and, 198–201
- Frequency scaling, 112
- Frequency selective filters, 259–264
- Frequency shifting property, 58, 66
 - Doppler shift, 540–541
 - property, 253–254, 308, 529–531
- Frequency-domain, 39, 51, 239–240
- Frequency-domain approach, 201
- Frequency-domain representation, 51, 239–240, 242, 246, 322–323
- Full-wave rectified sine (FWRS), 75–80
 - finite synthesis of, 79–80
 - spectrum of, 78–80
- Fundamental frequency, 67, 313
- Fundamental period, 67, 76, 512, 526
 - of discrete-time sinusoid, 311–312
- Gain, 196, 200, 210, 372, 382–383, 453
 - of LTI system, 196
- Geometric series, 214, 243–244
- Gibbs phenomenon, 535
- Half-wave rectified sine (HWRS), 521
 - finite synthesis of, 523
 - Fourier series, 522
 - spectrum of, 524
- Hamming, Richard, 265n9
- Hamming window, 265–269
- Hann, Julius von, 318n10
- Hann window, 318–321
- Harmonic frequency, 67
- Hertz, Heinrich, 16n2
- Hertz, unit of frequency, 16
- Highpass filter, 207, 262–263
- Ideal continuous-to-discrete (C-to-D) converter, 6–7, 104, 111–114, 128, 224, 227
- Ideal discrete-to-continuous (D-to-C) converter, 7, 111–112, 120–129, 134, 224
- Ideal filters, 259–264, 382
 - bandpass, 263–264
 - band-reject, 264
 - highpass, 262–263
 - lowpass, 260–262

- Ideal reconstruction, 111–113
- IIR digital filters, 394–456
 - block diagrams for, 408–412
 - definition, 395
 - difference equation for, 395–396
 - frequency response of, 420–423
 - impulse response of, 399–401
 - linearity and time invariance of, 398–399
 - poles and zeros for, 412–416
 - response to finite-length input, 401–402
 - stability of, 416–420
 - system function of, 405–408
- Image smoothing example, 220–223
- Imaginary part, 22
- Implementation structures, 409
- Impulse in MATLAB, 455
- Impulse response, 159–161
 - finite, 147
 - first-order IIR system, 399–401
 - unit, 158–161
- Impulse response sequence, 159–161
- Initial rest conditions, 397, 399
- Inner product, 494–495
- Instantaneous frequency, 86–89
- Interpolation, 103, 112
 - cubic spline, 124–125
 - ideal bandlimited, 127
 - linear, 20–21, 123–124
 - with pulses, 121
 - zero-order hold, 122–123
- Interpretation of delay, 226–229
- Inverse z -transform, 349
- Inverse discrete Fourier transform (DFT), 284–286, 335
- Inverse DTFT, 246–247, 250
- Inverse Euler formulas, 27–28, 50, 55
- Inverse filtering, 364

- L -point rectangular window, 264, 318
- L -point running averager, 227
- L -point running sum filter, 214
- L^{th} root of unity, 377 (*See also* roots of unity)
- Left-sided exponential signal, 272
- Line spectra, 52
- Linear combination, 50, 54, 179, 240, 247, 351, 399
- Linear FM signals, 86
- Linear interpolation, 20
- Linear phase filters, 207, 266–267, 384–386
- Linear time-invariant (LTI) systems, 160, 174–178
- Linearity, 147, 174, 176–178
 - of DFT, 296–297, 308
 - of DTFT, 242, 247, 252, 255, 274
 - and time-invariant IIR filters, 398–399
 - of z -transform, 351
- Linearly swept frequency, 85–86
- Local spectrum, 318, 323, 328
- Lowpass filter, 209–211, 260–262, 454–456
- LTI systems, 174–184, 212–214, 257, 353–354
 - cascade, 182–184, 212–214
 - causal, 417, 419
 - convolution and, 178–180
 - derivation of convolution sum, 179–180
 - properties of, 175–177, 180–182
- Magnitude, 22, 196–200, 207–208, 219
 - of complex number, 22
 - squared spectrum, 258
- Main lobe, 217, 266, 320
- MATLAB, 491–506
 - array multiplication, 495
 - colon operator, 493–494
 - debugging, 501–502
 - figure windows, 496
 - functions, 498
 - help command, 492
 - M-file, 499–502
 - multiple plots, 497
 - phasors, demo, 33
 - plotting, 496–497
 - pointwise array operations, 495
 - printing, 497
 - programming constructs, 497
 - reshape matrix, 447
 - scripts, 498–499
 - spectrogram, 83–84
 - vectorizing, 504–505
 - zvect, zcat, zprint, 488
- MATLAB built-in functions, 498
- MATLAB help, 492
- MATLAB GUI
 - con2dis, 120
 - dconvdemo, 168
 - DLTIdemo, 229
 - filterdesign, 271–272
 - fourierseries, 80
 - Sine Drill, 18
 - zdrill, 23, 479–480
- MATLAB programming, 502–506
- MATLAB scripts, 498–499
- MATLAB variables, 492–496
- Matrix multiplication, 494–495
- MP3 compression, 7
- Modulating signal, 59
- Modulo- N arithmetic, 302
- Multipath fading, 47–48
- Multiplier, 169–170
- Music notation, 81–82
- Musical scale, 10

- Narrowband spectrogram, 395
- n -domain, 347–349, 351, 368
- Negative frequency, 26, 28
- Newton's second law, 35
- Noise, 156
- Noncausal filter, 152, 219
- Nonlinear systems, 177
- Non-periodic signal, 72–73
- Normalized radian frequency, 15
- Nulling, 237
- Nulling filters, 372–373
- Nyquist, Harry, 111n6
- Nyquist rate, 111

- Octave, 82
- $\hat{\omega}$ -domain, 347, 349
- One-dimensional continuous-time system, 5
- Orthogonality property, 285, 509–510
- Outer product, 495
- Output-signal, 5

- Over-sampling, 114–115, 125–127
- Parseval's Theorem, 257, 259, 537
- Partial fraction expansion, 428
- Passband, 268
- Period, 10, 15–17, 67
- Periodic signal, 54, 67–72
- Periodicity of $H(e^{j\hat{\omega}})$, 205
- PeZ GUI, 452–454
- Phase, 9, 14
- Phase change in complex amplitudes of spectrum
 - delayed cosine, 64
 - derivative of sine plus DC, 64–65
- Phase shift, 24, 196
- Phasor, 25
 - addition, 28–34
 - MATLAB demo of, 33
 - rotating, 26–27
- Physics of tuning fork, 34–37
- Piano keyboard, 82
- Pixel, 220
- Plots and graphics, 496–497
- Pointwise array operations, 495–496
- Polar form, 22–23, 208–209, 217
 - of complex number, 22–23, 472
 - of complex roots, 439
- Poles of $H(z)$, 369–376, 412–413
- Pole-zero plot, 370–371
- Polynomial division, 162n11
- Polynomial multiplication, 164
- Positive frequency, 26
- Principal aliases, 110, 112, 115
- Principal value, 19, 217
- Principle of superposition, 176
- Property of the spectrum representation, 61
- Properties of z -transform, 358, 368, 428
- Pulse Wave, 514
 - Fourier series, 515
 - spectrum of, 516
 - finite synthesis of, 517–518
 - time scaling of, 526–527
 - sinusoidal multiplication of, 530
- Radian frequency, 9, 15
- Radix-2, 335
- Rational function, 347, 353
- Real part, 22, 131, 206, 471
- Receiver, 540, 542
- Reconstruction, 102–103, 111, 124–129, 134
 - cubic spline, 124
 - GUI, 120–121
 - ideal, 127
 - linear, 123
 - spectrum view of, 112
 - zero-order hold, 123n10
- Rectangular form, 22, 31
 - of complex number, 22, 471–472
- Rectangular window, 264–265
- Recursive filter, 394 (*See also* IIR digital filters)
- Reducing modulo 2π , 19
- Region of convergence, 353, 407
- Resolution of the spectrogram, 322–323
- Riemann integral, 251
- Right-sided exponential signal, 244
- Roots of unity, 485–486
- Rotating disk, 133
- Rotating phasor, 25–27
- Running-average filter, 149–153
- Running-average filtering, 156–158
 - smoothing an image, 220–223
- Running-sum filtering, 214–219
- Sample spacing, 19–20
- Sampling, 3–4, 6, 19–21, 102–105 (*See also* C-to-D conversion)
 - aliasing and, 109
 - bandlimited periodic signals, 311–314
 - frequency-domain, 294–296
 - oversampling, 114–115, 125–127
 - reconstruction GUI, 120–121
 - sinusoidal signals, 105–107
 - spectrum view, 113–118
 - under-sampling, 115–118
- Sampling frequency, *see* Sampling rate
- Sampling period, 3, 19, 103
- Sampling rate, 104
- Sampling theorem, 110–111, 128–129, 299
- Sampler, 6
- Scale factor, 61
- Second-order IIR filters, 435–452
- Shannon, Claude, 111n6
- Shannon sampling theorem, 110–111, 122, 128–129
- Shannon/Nyquist sampling theorem, 111
- Short-time discrete Fourier transform, 326
- Sidelobes, 216–217, 320–321, 516
- Signal, 1–2
 - continuous-time, 3
 - cosine, 12–14
 - discrete-time, 3, 5
 - sine, 12–14
 - speech, 1–4
 - two-dimensional, 3–4
 - video, 1–2, 4
- Sinc function, 127, 248–250
- Sinc signal, energy of, 258
- Sine-cubed signal, 71–72
- Sine and cosine functions, review of, 12–14
- Sinusoidal amplitude modulation
 - AM spectrum, 59–60
 - amplitude modulation, 54, 58–59
 - beat note waveform, 55–57
 - concept of bandwidth, 60–61
 - multiplication of sinusoids, 54
- Sinusoidal response of FIR systems, 195–196
- Sinusoidal steady-state component, 433
- Sinusoid-in gives sinusoid-out, 194, 257
- Sinusoids, 9
 - period of, 10, 15–17
 - phase and time-shift of, 17–19
 - plotting of, 15, 19–21
 - sampling, 19–21
 - tuning fork experiment, 10–12
- Sinusoids, spectrum of sum of, 50–54
 - analysis vs synthesis, 53–54
 - graphical plot, 52–53
 - notation change, 52
- Smoothing an image, 220–223
- spectgr, 84n15

- Specgram, 84
- Spectral components, 50, 68
- Spectral line, 52
- Spectrogram, 81, 322–334
 - analysis, 83–85, 281
 - display of, 328
 - frequency resolution in, 330–333
 - interpretation of, 328–330
 - of chirp, 85–87, 90, 119
 - of a linear-FM signal, 89
 - MATLAB, 333–334
 - music notation and the, 81–83
 - piano, 90
 - of a sampled periodic signal, 307–317
 - of simple sounds, 55, 90
- Spectrum representation, 49–89
 - adding signals, 62–63
 - bandwidth of, 60–61
 - complex amplitudes of, 64
 - DC component, 51
 - definition, 50n1, 51
 - of a discrete-time signal, 109–110
 - frequency shifting behavior, 65–66
 - of full-wave rectified sine (FWRS), 78–80
 - of half-wave rectified sine (HWRS), 524
 - non-periodic signal, 72–73
 - operations on, 61–67
 - plot of, 52–53
 - of a product, 55
 - of a pulse wave, 516
 - scaling or adding constant, 61–62
 - of sum of sinusoids, 50–54
 - of sum of two equal-amplitude sinusoids, 56
 - time-frequency, 81–85
 - of a triangular wave, 520
 - two-sided, 51
- Spectrum analysis of periodic signals, 314–317
- Spectrum of discrete-time signal, 109–110
- Square wave, 72, 515
 - bipolar, 525
 - zero-one, 525
- Square-law system, 174–175
- Squarer system, 5
- Stability, 403
 - general definition of, 403
 - mathematical condition for, 403, 417, 419
 - from pole location, 416
 - region of convergence and, 418–420
 - steady-state response and, 431–433
- Stable systems, 416
- Steady-state part, 202
- Steady-state response, 431–435
- Step response, 403
 - first-order IIR system, 402–404
- Stepped frequency, 83
- Stopband, 269
- Strobe, 129–134
 - demonstration, 129–134
 - spectrum interpretation, 133–134
- Suddenly applied input, 201–202, 397, 399, 432–433, 435
- Superposition, 358, 428
 - frequency response, 198–201
 - principle of, 176
 - property of DTFT, 252, 274
 - property of z -transform, 358, 428
- Support of a sequence, 149, 154
- Synthesis procedure, 53–54
- Synthetic polynomial multiplication, 183, 214
- Synthetic vowel, 68–70
- System function $H(z)$
 - of cascade, 361
 - of FIR filter, 356
 - of IIR filter, 405
- Systems
 - as building blocks, 7–8
 - cascading, 361–363
 - definition, 1
 - discrete-time, 148–149
 - FIR, 194–197
 - IIR, 416–420, 436–440
 - linear time-invariant, 174–184, 212–214, 257, 353–354
 - mathematical representation of, 5–6
 - unit-delay, 354
- Three Domains
 - for FIR, 347–348, 364–369
 - for IIR, 425–426
 - movie, 376–377
 - PeZ GUI, 377, 387, 452–454
- Time aliasing, 299, 302
- Time-delay property of z -transforms, 351–352
- Time-dependent discrete Fourier transform, 325–328 (*See also* Spectrogram)
- Time-domain, 201
 - chirp signal, 87
 - convolution, 358
 - DTFT, 273–274
 - DFT, 304, 307–308
 - operations, 61
 - representation, 51, 53, 56, 75, 240, 349, 354
 - response, 396–398
 - signal, 110, 258
 - of under-sampling, 117
- Time-flip system, 175–176
- Time–frequency spectrum, 81–85 (*See also* Spectrogram)
 - analysis, 83–84
 - stepped-frequency waveforms, 83
- Time invariance, 175–176
- Time shift (delay), 17–19
 - effect on spectrum, 64
 - property of DFT, 301–302
 - property of DTFT, 252
 - property of z -transform, 351–352
- Time-windowing, 343
- Transient response
 - of FIR filter, 201–203
 - of IIR filter, 433–435
- Transition region, 202, 383
- Transmitter, 83
- Transposed form
 - of FIR filter, 173
 - of IIR filter, 411–412
- Triangular wave, 518
 - finite synthesis of, 520–521
 - Fourier series, 519
 - spectrum of, 520
- Trigonometric identities, 14

Tukey, 289n5
 Tuning fork, 10–12
 physics of, 34–37
 Two-sided spectrum, 51

 Unit circle, 366–367
 Unit delay, 169, 352, 354
 operator, 169, 354
 property of the z -transform, 352
 system, 354
 Unit impulse response, 159–161
 Unit impulse sequence, 158–159
 Unit impulse signal, *see* unit-impulse sequence
 Unit-step, 165–166
 Unstable, 403
 system, 416, 418

 von Hann, Julius, 318n10
 Vowel signal, *see* Synthetic vowel

 Weighted running average, 153
 Windowing, 264–266, 317–322
 Writing a MATLAB function, 499

 z -domain, 364–366, 368
 zdri11 GUI, 479
 z -plane, 353, 358n4, 366–370

 z -transform
 basic properties, 351–352
 convolution and the, 358–364
 definition, 348–350
 DFT and, 367–369
 domains, *see* Three Domains
 general formula, 352–353
 inverse, 349–350, 426–431
 linear systems and, 353–357
 linearity of, 351
 of FIR filter, 355
 of impulse response, 355–356
 as an operator, 358
 pair, 349
 poles and zeros, 369–377, 412–416
 polynomial roots, 356–358, 363
 properties, 368
 region of convergence, 353
 of a signal, 350
 of second-order filters, 435–446
 superposition property of, 358, 428
 table of, 427
 time-delay property of, 351–352
 unit circle and, 366–367
 z^{-1} operators, 354
 Zero-order hold, 122–123
 interpolation, 122–123
 reconstruction, 123n10
 Zero padding, 294–296
 Zeros, 369–371
 of FIR linear-phase systems, 385–386
 of $H(z)$, 369–371